

MOTORCYCLING NEW ZEALAND INC.

211 MAIN STREET, PO BOX 253, HUNTLY, NZ PHONE: + 64 7-828 7852 FAX: + 64 7-828 7928

EMAIL: admin@mnz.co.nz www.mnz.co.nz

HOMOLOGATION AND APPROVAL APPLICATION FOR MINI MOTOCROSS

Applicant's	s Name:			
	Person's Name:			
Address: _				
Phone:	Fax:	Email:		
	oply to MNZ for tentative or find model of machine for mini mot) approval to use th	ne following
Make:		Model:		
Model Number:		Year(s):		
Recomme	nded Retail Price: \$			
I apply for a	approval for the following mini	classes:-		
MX 50cc	6-8 yrs	Intro Trail 50cc	4-7 yrs	
MX 65cc	7-8 yrs	Intro MX 50cc	4-7 yrs	
MX 65cc	9-11 yrs			
Trail	7-9 yrs		1	<u> </u>
Trail	8-11 yrs			

I have **enclosed** the following documents in support of my application:

Tick

Spare parts manual/catalogue for the make and model of machine		
Sales brochure for the make and model of machine		
All applications for final approval shall include an original copy of a NZ		
Customs Import Certificate showing at least 5 of the homologated machines		
have been imported into New Zealand.		

I declare that the machine I am seeking approval for was, or will be, complete when it left/leaves the manufacturer's factory in the country of manufacture and that, except as permitted by rule 15.15.5.8, no parts have been, or will be, added, removed or modified after that time (*Note: Horse power limiting restrictors may be removed*).

I also declare that the information supplied is true and correct and understand that approval may be withdrawn if any information is subsequently found to be inaccurate or misleading.

I am authorised by the Applicant to make this application and these declarations.

Signed:	Print Name:
Date:	

Technical Specification Sheet

Make and Model of Machine:					
Engine Type (eg: single cylinder 2 stroke):					
Displacement:					
Bore/stroke (mm):					
Maximum rated hp without restrictors (eg: 16hp @ 12,500 rpm)					
Starter (eg: electric):					
Make, model and size (mm) of carburettor					
Clutch (eg: centrifugal adjustable or wet multi disk clutch, operated hydraulically)					
Make and model of Ignition:					
Chassis					
Frame: (eg: chromium molybdenum central-type frame):					
Sub frame (eg: aluminium):					
Front suspension: (eg: USD Marzocchi 0 35mm):					
Rear suspension: (eg: WP monoshock):					
Suspension travel front/rear (mm):					
Front brake (eg: 170mm hydraulic disk):					
Rear brake (eg: 170mm hydraulic disk):					
Front/rear rim size:					
Make and model of exhaust pipe (eg: KTM SX 65):					
Main silencer (eg: aluminium):					
Steering head angle:					
Wheel castor (mm):					

heel base (mm):								
Length of swing arm as measured from centre of pivot point to centre of rear axle at its maximum adjustment (mm):								
idth of wheel base (ATV only):								
round clearance unloaded (mm):								
eat height (mm):								
uel capacity (mm):								
Approximate weight kg (ready to race, no fuel):								
or Office Use Only:								
Motocross Commissioner or ATV Commissioner								